

Коммерческие электрические плиты L900

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ote@nt-rt.ru || сайт: <https://lozamet.nt-rt.ru/>

L900.KEO2 COMMERCIAL ELECTRIC RANGE



Standard execution:

- Dimensions: 450 x 900 x 280 / 310 mm
- Dimensions with base: 450 x 900 x 900 mm
- Round plates: Ø 300 mm
- Power supply: 3N ~ 400V, 50Hz
- Required installation fuse: 20 A
- Plate power: 2 x 3.5 kW = 7.0 kW
- Cast iron plates, quick heating
- 6-step regulation of the heating power of the plate
- Protecting cooking plates from overheating

L900.KEO4 COMMERCIAL ELECTRIC RANGE



Standard execution:

- Dimensions: 900 x 900 x 280 / 310 mm
- Dimensions with base: 900 x 900 x 900 mm
- Round plates: Ø 300 mm
- Power supply: 3N ~ 400V, 50Hz
- Required installation fuse: 32 A
- Plate power: 4 x 3.5 kW = 14 kW
- Cast iron plates, quick heating
- 6-step regulation of the heating power of the plate
- Protecting cooking plates from overheating

L900.KEO4 PET COMMERCIAL ELECTRIC RANGE WITH OVEN



Standard execution:

- Dimensions: 900 x 900 x 900 mm
- **Round plates: Ø 300 mm**
- Power supply: 3N ~ 400V, 50Hz
- Required installation fuse: 32 A
- Kitchen power: 18.45 kW
- Plate power: 4 x 3.5 kW = 14 kW
- Cast iron plates, quick heating
- 6-step regulation of the heating power of the plate
- Protecting cooking plates from overheating

Electric oven GN 2/1:

- Power: 4.45 kW
- Continuous temperature control 50 ÷ 290 °C, on each set heating function:
 - bottom 3.2 kW + top 1.2 kW
 - bottom 3.2 kW
 - top 1.2 kW
 - grill 2.75 kW
 - grill 2.75 kW + convection
 - bottom 3.2 kW + top 1.2 kW + convection
 - back 2.6 kW + convection
 - fan operation without heating (defrosting)
- „Oven door, plain, metal
- Oven chamber 680 x 555 x 315 mm
- Three levels of guides
- Standard grate, trays on request

Execution options:

- Oven door with glass
- Oven lighting

L900.KE4 PET COMMERCIAL ELECTRIC RANGE WITH OVEN



Standard execution:

- Dimensions: 900 x 900 x 900 mm
- Square plates: 300 x 300 mm
- Power supply: 3N ~ 400V, 50Hz
- Required installation fuse: 40 A
- Kitchen power: 20.45 kW
- Plate power: 4 x 4 kW = 16 kW
- Cast iron plates, quick heating
- 6-step regulation of the heating power of the plate
- Protecting cooking plates from overheating
- Electric oven GN 2/1:
 - Power: 4.45 kW
 - Continuous temperature control 50 ÷ 290 °C, on each set heating function:
 - bottom 3.2 kW + top 1.2 kW
 - bottom 3.2 kW
 - top 1.2 kW
 - grill 2.75 kW
 - grill 2.75 kW + convection
 - bottom 3.2 kW + top 1.2 kW + convection
 - back 2.6 kW + convection
 - fan operation without heating (defrosting)
- Oven door, plain, metal
- Oven chamber 680 x 555 x 315 mm
- Three levels of guides
- Standard grate, trays on request
- Execution options:
 - Oven door with glass
 - Oven lighting

L900.KE4 COMMERCIAL ELECTRIC RANGE



Standard execution:

- Dimensions: 900 x 900 x 280 / 310 mm
- Dimensions with base: 900 x 900 x 900 mm
- Square plates: 300 x 300 mm
- Power supply: 3N ~ 400V, 50Hz
- Required installation fuse: 40 A
- Plate power: 4 x 4 kW = 16 kW
- Cast iron plates, quick heating
- 6-step regulation of the heating power of the plate
- Protecting cooking plates from overheating

KITCHEN BASES:

L900.P900 – open base with shelf 900 x 760 x 620 mm
L900.S900 – open cabinet 900 x 760 x 620 mm
L900.SD900 – cabinet with doors 900 x 805 x 620 mm

L900.KE2 COMMERCIAL ELECTRIC RANGE



Standard execution:

- Dimensions: 450 x 900 x 280 / 310 mm
- Dimensions with base: 450 x 900 x 900 mm
- Square plates: 300 x 300 mm
- Power supply: 3N ~ 400V, 50Hz
- Required installation fuse: 20 A
- Plate power: 2 x 4 kW = 8 kW
- Cast iron plates, quick heating
- 6-step regulation of the heating power of the plate
- Protecting cooking plates from overheating

KITCHEN BASES:

L900.P450 – open base with shelf 450 x 760 x 620 mm
L900.S450 – open cabinet 450 x 760 x 620 mm
L900.SD450 – cabinet with doors 450 x 805 x 620 mm

L900.KEC2 COMMERCIAL ELECTRIC RANGE



Description

- 2-plate ceramic electric range without oven
- dimensions: 450 x 900 x 850 mm
- plate dimensions: 270 x 270 mm
- power supply: 3 N ~400V 50Hz
- power rating: 8 kW

L900.KEC4 COMMERCIAL ELECTRIC RANGE



Description

- 4-plate ceramic electric range without oven
- dimensions: 900 x 900 x 850 mm
- plate dimensions: 270 x 270 mm
- power supply: 3 N ~400V 50Hz
- power rating: 16 kW

L900.KEC4 PET COMMERCIAL ELECTRIC RANGE



Standard execution:

- Dimensions: 900 x 900 x 280 / 310 mm
- Dimensions with base: 900 x 900 x 900 mm
- **Square cooking zones: 270 x 270 mm**
- Power supply: 3N ~ 400V, 50Hz
- Required installation fuse: 40 A
- Kitchen power: 20.45 kW
- Heating zone power: 4 x 4 kW = 16 kW
- Adjustment of energy dosage
- Cooking plate overheat protection

Electric oven GN 2/1:

- Power: 4.45 kW
- Continuous temperature control 50 ÷ 290 °C, on each set heating function:
 - bottom 3.2 kW + top 1.2 kW
 - bottom 3.2 kW
 - top 1.2 kW
 - grill 2.75 kW
 - grill 2.75 kW + convection
 - bottom 3.2 kW + top 1.2 kW + convection
 - back 2.6 kW + convection
 - fan operation without heating (defrosting)
- Oven door, plain, metal
- Oven chamber: 680 x 555 x 315 mm
- Three levels of guides
- Standard grate, trays on request

Execution options:

- Oven door with glass
- Oven lighting



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	

Россия +7(495)268-04-70	Казахстан +(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47
-------------------------	---------------------------	----------------------------	------------------------------	----------------------------

эл.почта: ote@nt-rt.ru || сайт: <https://lozamet.nt-rt.ru/>